Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	. Product identifier	
	Substance name: Other means of identification:	Oster Blade Wash SDS Number RE1000034942
	REACH Registration Number: Issue date:	Not applicable 21-March-2022
1.2. Relevant identified uses of the substance or mixture and uses advised against		
	Relevant identified uses:	Cleaner
	Uses advised against:	No information available.
1.3	. Details of the supplier of the safety data sheet	
	Manufacturer/Supplier:	CHICAGO AEROSOL - BRIDGEVIEW FACILITY 8407 S. 77th Avenue Bridgeview, IL 60455
	Distributor:	Newell Brands 150 Cadillac Lane McMinnville, TN 37110
	7 cbHJWh	+1 888-766-2284 RegulatoryCompliance@Newellco.com
1.4	. Emergency telephone number	CHEMTREC Global: +1 703 527 3887 CHEMTREC UK: +(44)-870-8200418

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP Classification (EC No 1272/2008)

Aspiration Hazard 1 Carcinogen 1B

2.2. Label elements

Pictogram



Signal word: Hazard statements(s):	Danger H304 May be fatal if swallowed and enters airways H350 May cause cancer	
Precautionary statement(s):		
Prevention	P201 Obtain special instructions before use.	
Response	 P202 Do not handle until all safety precautions have been read and understop P280 Wear protective gloves/protective clothing/eye protection/face protection P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting. P308 + P313 IF exposed or concerned: Get medical advice/attention. 	n.
Storage Disposal	P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/nationa international regulations (to be specified).	l/ Page

Page 1/6 Last updated: 4/4/22

2.3. Other hazards

Does not meet the criteria for persistent, bioaccumulative and toxic (PBT) or very persistent, very bioaccumulative (vPvB) substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CASRN	EINECS	Concentration (%)	Classification
Distillates (petroleum), hydrotreated light	64742-47-8	265-149-8	95.00	H304, Asp.
Distillates (petroleum), hydrotreated heavy 64742-52-5 naphthenic		265-155-0	5.00	H350, Carc. 1B

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye Contact: Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists, get medical advice/attention.

Skin Contact: Wipe off with towel. Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

Inhalation (breathing): Move to fresh air. Administer oxygen if needed. Apply artificial respiration if breathing has stopped. Get medical attention.

Ingestion: If swallowed, do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Repeated exposure may cause skin dryness or cracking.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1. Suitable Extinguishing Media: Use fire-extinguishing media appropriate for surrounding materials. Unsuitable Extinguishing Media: Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.

5.3. Special protective actions for fire-fighters

Special protective equipment and procedures for fire-fighters: Water may be used to cool containers to prevent pressure build-up and explosion when exposed to extreme heat. Wear goggles and use self-contained breathing apparatus. If water is used, fog nozzles are preferred.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapors. Ventilate area. Remove all sources of ignition.

6.2. Environmental precautions

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep closure tight and container upright to prevent leakage. Open container slowly. Do not get in eyes. Avoid skin contact and contact with clothing. Do not take internally.

7.2. Conditions for safe storage, including any incompatibilities

Store and use in cool, dry, well-ventilated areas. Keep containers closed when not in use. Keep away from excessive heat or open flame.

7.3. Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits:

Substance	Туре	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated light	REL	100 mg/m3	US NIOSH: Pocket Guide to Chemical Hazards (2005)
Distillates (petroleum), hydrotreated light - Non-aerosol - as total hydrocarbon vapor	TWA	200 mg/m3	US ACGISH Threshold Limit Values (2008)
	TWA	200 mg/m3	US ACGISH Threshold Limit Values (2008)
Distillates (petroleum), hydrotreated heavy naphthenic	TWA	400 ppm 1,600 mg/m3	US OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	500 ppm 2,000 mg/m3	US OSHA Table Z-1-A (29 CFR 1910.1000) (02 2006)
Distillates (petroleum), hydrotreated heavy naphthenic - Mist	REL	5 mg/m3	US NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	10 mg/m3	US NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	5 mg/m3	US OSHA Table Z-1-A (29 CFR 1910.1000) (02 2006)
	TWA	5 mg/m3	US OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Distillates (petroleum), hydrotreated heavy naphthenic	Cell_Time	1,800 mg/m3	US NIOSH: Pocket Guide to Chemical Hazards (2010)
Distillates (petroleum), hydrotreated heavy naphthenic - Inhalable fraction	TWA	5 mg/m3	US ACGISH Threshold Limit Values (03 2014)
Distillates (petroleum), hydrotreated heavy naphthenic	REL	350 mg/m3	US NIOSH: Pocket Guide to Chemical Hazards (2010)

Appropriate Engineering Controls: Ventilation should be sufficient of prevent inhalation of any vapors. General dilution and/or local exhaust ventilation in volume to keep PEL/TLV of most hazardous ingredient below acceptable limit and lel below stated limit

8.2. Exposure controls

Respiratory protection: None under normal use. Avoid breathing vapors. In restricted areas, use approved chemical/ mechanical filters designed to remove a combination of particles and vapor. In confined areas, used an approved air line respirator or hood. Self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

Protective gloves: None under normal use. Use solvent-resistant for prolonged or repeated contact.

Eye protection: None under normal use. However, use of safety glasses with splash guards or full face shield should be used if indicated.

Other protective clothing or equipment: None under normal use. However, use of solvent-resistant aprons or other clothing is recommended. Eye washes and safety showers in the workplace are recommended.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Physical form of product: Odor: Odor threshold: pH: Initial boiling point and boiling range: Flash point: Evaporation Rate: Flammability: Upper/lower limit on flammability or explosive limits Flammability limit - upper (%): Flammability limit - lower (%): Explosive limit - lower (%): Explosive limit - lower (%): Vapor pressure:	Clear Liquid Solvent No data available No data available No data available Estimated 235.9C Estimated 115.30C Slower than ether Combustible liquid No data available No data available No data available No data available No data available No data available
Vapor density: Density: Relative density: Solubility(ies) Solubility in water: Solubility (other): Partition coefficient (n-octanol/water):	Heavier than air 0.81 No data available No data available No data available No data available
Auto-ignition temperature: Decomposition temperature: Viscosity:	No data available No data available No data available

9.2. Other information None

SECTION 10: Stability and reactivity		
10.1. Reactivity	Not reactive under normal conditions of use.	
10.2. Chemical stability	Stable under normal storage and handling conditions.	
10.3. Possibility of hazardous reactions	None known.	
10.4. Conditions to avoid	No data.	
10.5. Incompatible materials	Strong oxidizing agents.	
10.6. Hazardous decomposition products	None known	

SECTION 11: Toxicological information

11.1 Information on toxicological effects Long-term toxicological studies have not been conducted for this product.

11.2 Information on Hazardous Components None

SECTION 12: Ecological information

12.1. Toxicity	No data available.
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance.
12.6. Endocrine disrupting properties	No data available.
12.7. Other adverse effects	No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste in accordance with Directive 2008/98/EC, covering waste and dangerous waste. Prevent entry into sewers, drains, ditches, underground or confined spaces and waterways. Since emptied containers retain material residue, follow safe handling/label warnings even after container is emptied. Dispose of solid waste/container in accordance with local/state/national/international regulations.

SECTION 14: Transport information

IMDG/IMO

14.1. UN number 14.2. UN proper shipping name	UN 3082 Environmentally hazardous substances, liquid, n.o.s. (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT), 9, III	
14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazard 14.6. Special precautions for user 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	9 III Yes None Not applicable	
RID		
14.1. UN number 14.2. UN proper shipping name	UN 3082 Environmentally hazardous substances, liquid, n.o.s. (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT)	
14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazard 14.6. Special precautions for user Classification code	9 III Yes M6	
ADR		
14.1. UN number 14.2. UN proper shipping name	UN 3082 Environmentally hazardous substances, liquid, n.o.s. (DISTILLATES	
 14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazard 14.6. Special precautions for user 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code 	(PETROLEUM), HYDROTREATED LIGHT), 9, III 9 III Yes None Not applicable	
ΙΑΤΑ		
14.1. UN number 14.2. UN proper shipping name	UN 3082 Environmentally hazardous substances, liquid, n.o.s. (DISTILLATES	
14.3. Transport hazard class(es) 14.4. Packing group 14.5. Environmental hazard 14.6. Special precautions for user	(PETROLEUM), HYDROTREATED LIGHT) 9 III Yes None	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU - Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

EU - REACH (1907/2006) - Article 59(1) - Candidate List of Substances of Very High Concern (SVHC) for Authorization:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

EU - Substances Depleting the Ozone layer (1005/2009)

No components of this material are listed.

EU - Persistent Organic Pollutants (850/2004)

No components of this material are listed.

EU - Export and Import Restrictions (689/2008) - Chemicals and Articles Subject to Export Ban

No components of this material are listed

15.2. Chemical safety assessment

SECTION 16: Other information

Disclaimer of Expressed and implied Warranties:

The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THE INFORMATION PROVIDED ABOVE, THE RESULTS TO BE OBTAINED FROM THE USE OF THIS INFORMATION OR THE PRODUCT, THE SAFETY OF THIS PRODUCT, OR THE HAZARDS RELATED TO ITS USE. No responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above, and the product, are furnished on the condition that the person receiving them shall make their own determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use. In addition, no authorisation is given nor implied to practice any patented invention without a licence.